

POND CARE



Pond Cleaner

from p. 58



Pond tools & nets

p. 61



Pond care

products from p. 62



Ice preventers

p. 65

POND CARE



Pond Cleaner

Overview Pond Cleaner



F2-00

20 m²

- 120 Watt
- max. 8000 l/h
- Conveying pump / Non-Stop

F1-00

20 m²

- 155 Watt
- max. 8000 l/h
- Conveying pump / Non-Stop

F635N-00 - „Basic“

5 m²

- 1250 - 1400 Watt
- max. 3000 l/h
- Vacuum/Intervall 30/20 Sek.

F640S-00 - „Pro“

10 m²

- 1400 - 1600 Watt
- max. 4000 l/h
- Vacuum/Intervall 30/20 Sek.

F650P-00 - „Perfect“

ab 10 m²

- Vakuum 1400 - 1600 Watt
- Pumpe 800 Watt
- max. 4000 l/h
- Vacuum + Pump = Non-Stop

Vacuum Pond Cleaner F635N „Basic“

2 Jahre
Garantie
Guarantee

(-) Manual
(o) OFF
(=) AUTO

50 Hz
4,5m
230 V

- Incl. filterbag
- Automaticfunction (30 sec. timer)
- 50L/sek – 18 Kpa
- Accessories: 4 tubes, 3 nozzles, 4 m suction hose, 1,5 m discharging hose, 4,5 m power cord

TYPE	F635N-00	SU: 18
Pond size	5 m ²	
Power	1250 - 1400 W	
max. flow rate	max. 3000 l/h	
Suction depth	max. 180 cm	
Tank capacity	35 liter	
EAN		



Easy Opening for the quick and easy maintenance



Accessorie

Pro Pond Cleaner

PRO Pond Cleaner F1 / F2

To remove mud and sediments from the pond floor

- Maximum suction depth of 1.80 m (F1-00) at 8.000 l per hour extraction
- Complete free movement - no expensive equipment at the bank border
- Lifts sludge particles up to 25 mm grain size
- Removable filter basket
- On / off directly at the handle
- Extremely quiet but powerful running
- Including 4 (F1-00) / 2 (F2-00) nozzles:
Sludge nozzle / Foliage and algae nozzle
Pool and surfaces nozzle / Fugues nozzle
- Non-stop running possible
- Pipe length: 2 m (F1-00) / 1,5 m (F2-00)

2 Jahre
Years
Garantie
Guarantee



YouTube-VIDEO



Incl. 4 nozzles

TOP-Equipment

Extremely quiet

Incl. filter basket



TYPE	F1-00	SU: 1
Pond size	up to 20 m ²	
Delivery height	max. 3 m	
Power	8.000 l/h	
Consumption	155 W	
Total length	200 cm	
Suction depth	max. 1,80 m	
Connection cable	10 m	
Hose length	5 m	
EAN	4 006873 397977	

4 in 1



Sludge nozzle



Foliage and algae nozzle



Pool and surfaces nozzle



Fugues nozzle



Extremely quiet

Incl. 2 nozzles

TYPE	F2-00	SU: 2
Pond size	up to 20 m ²	
Delivery height	max. 4 m	
Power	8.000 l/h	
Consumption	120 W	
Total length	150 cm	
Suction depth	max. 1,30 m	
Connection cable	10 m	
Hose length	3 m	
EAN	4 006873 400974	

2 in 1



Sludge nozzle



Foliage and algae nozzle

Pond cleaner

Vacuum Pond Cleaner F640S „Pro“

- Automatic function (30 sec. timer)
- 50L/sek – 18 Kpa (18 Kilopascal = 0,18 bar)
- Accessories: 4 tubes, 3 nozzles, 5m suction hose, 2m discharging hose, big wheels, handle, 10m power cord, accessories-storage on back side

TYPE	F640S-00	SU: 1
Pond size	up to 10 m ²	
Power	1400 - 1600 W	
max. flow rate	max. 4000 l/h	
Suction depth	max. 180 cm	
Tank capacity	40 Liter	
L x W x H	50 x 43 x 98 cm	
EAN	4 006873 418504	

Stainless steel tank

Incl. 3 nozzles

3
years
guarantee

Accessory sets for „Pro“ und „Perfect“

- Consisting of:
 - Pond suction cleaner nozzle attachment with 10m suction hose
 - Pond bottom net (aluminium)
 - Pond surface net (aluminium)
- Increased working radius (3 metre reach/reach depth)
- Perfect for large ponds, swimming ponds and pools



Working depth up to 300 cm by means of Telescopic rod „120-360 cm
Order number Telescopic rod: 502 010 870

TYPE	ZF640-00
SU	4
EAN	4 006873 423980



Vacuum Pond Cleaner „Perfect“

- Permanent function with integrated discharge pump
- 50L/sek – 18 Kpa (18 Kilopascal = 0,18 bar)
- Accessories: 4 tubes, 4 nozzles, 7,5 m suction hose, 5 m discharging hose, big wheels, handle, 10 m power cord, accessories-storage on back side

TYPE	F650P-00	SU: 1
Pond size	from 10 m ²	
Power	2200 - 2400 W	
max. flow rate	max. 4000 l/h	
Suction depth	max. 180 cm	
Height	800W / max. 7m	
Tank capacity	45 Liter	
L x W x H	50 x 43 x 105 cm	
Consumption Pump	400 W	
EAN	4 006873 418511	

5
years
guarantee

Stainless steel tank

TOP-Equipment

Ideal for big ponds

Enormous working range

Incl. 3 nozzles

integrated discharge pump



Ergonomic handle



Easy cleaning & care








Dirt Outlet

Pond Tools & Pond Nets

Dip nets



TYPE	TZ 301-00	TZ 303-00	TZ 305-00	TZ 306-00	TZ 312-00
Form	Fish Net	Fish Net	Algae Net	Leaf Net	Pond Net Bamboo
Stick length	100 cm	105 - 195 cm	105 - 195 cm	75 - 140 cm	150 cm
Net	broad-meshed	broad-meshed	close-meshed	close-meshed	close-meshed
Size	ø 20 cm	34 x 40 cm	33 x 34 cm	40 x 35 cm	ø 20 cm
Color	black	green	white	black	green
SU	10	10	10	40	50
EAN					

Dip nets sales display



Pond Tools



TYPE	TZ 321-00	TZ 322-00	TZ 323-00	TZ 325-00
Form	Pro Scissors	Pond Scissors	Pond Tongs	Algae Brush
Info	Cut and grab	Special Offer	Special Offer	<ul style="list-style-type: none"> Telescopic handle Stable hook Exchangeable brush
Length	125 cm	105 - 195 cm	105 - 195 cm	135 - 230 cm
SU	12	50	50	10
EAN				

Cuts and keeps one side firmly gripped!

2 in 1



Pond tool profi-display

WMT-320

- 30x TZ321-00
- 30x TZ325-00



TZ 314-00 **NEW!**



Pond cleaner set 3 + 1

- Algae and leaf net 36 x 36 cm
- Surface cleaner round with ø 36 cm
- Algae brush 13 cm
- Telescopic handle 55 - 150 cm



SU	4
EAN	

Leaf net

TYPE	TZ 402-00	TZ 520-00
Size	600 x 300 cm	6 x 100 cm
SU	4	600
EAN		

Pond Care products

Not sold in the UK market

Clear pond water - in 3 safe and easy steps

1. Stabilise the water

Natural self-cleaning processes only work in sufficiently hard and buffered pond water. If a pond is filled by spring water or if rainwater runs directly or through a cistern, the water is usually too soft and poor in the minerals essential for a healthy self-cleaning process. So the first step is to „stabilise“ your pond water by adding minerals and bacteria with **HEISSNER Pond Stabilisers**.

2. Clarify the water

Excessive growth of algae in your pond not only clouds the water but also reduces the pleasure you take in your garden pond. The carbonate hardness is reduced and the previously stable pH fluctuates. What is more, algae gives off bound phosphate when it decomposes helping to create new algae. Regularly remove hair algae with a net. Use **HEISSNER Anti-algae Products** to combat coating algae and hair algae to restore the environmentally-friendly stability of your pond water.

3. Keep the water clear

Phosphates stimulate the growth of algae. It is essential to bind them as soon as possible after the winter months to prevent possible algae infestation. **HEISSNER Care Products** bind and remove phosphates from the pond water, reducing the growth of algae. The pH of the water is stabilised. You can check the stability of your pond water at any time using the **HEISSNER Test Set**.



**LABORATORY TESTED
QUALITY**

TZ711-00 + TZ721-00

Pond Water Conditioner

Granules for release in watering can

- Promotes Biological balance
- Particularly fish-friendly
- Overdosing is harmless
- Ideal after heavy rainfall

Detailed instructions for use are enclosed with the packaging.



TZ719-00 + TZ729-00

Cloudy Water-free **EXTRA FAST**

Liquid concentrate with excellent coverage

- Visible instant impact
- Biocide-free
- Does not contain copper additives
- Not suitable for algae prevention
- Not suitable for ponds with sturgeon stocks

Detailed instructions for use are enclosed with the packaging.



TZ717-00 + TZ727-00

Pond Starter Bacteria

Granules to sprinkle into your pond or filter

- Promotes clear water by consuming nutrients
- Improves the performance of pond filters
- Contains natural raw materials
- Particularly fish-friendly
- Overdosing is harmless
- Lasting effect

Detailed instructions for use are enclosed with the packaging.



TZ713-00 + TZ723-00

String Algae-free **TURBO***

Granulate mixture with active oxygen and high-performance micro-organisms

- Visible instant impact by active oxygen
- Does not contain copper additives
- Simple to use with handy spreader

Use biocides with care! Always read the label and product information before using.

Detailed instructions for use are enclosed with the packaging.



TZ714-00 + TZ724-00

Algae-free Universal*

Liquid concentrate with excellent coverage

- Helps to combat serious algae infestation
- Minimises reformation of algae
- Not recommended for regular use

Use biocides with care! Always read the label and product information before using.

Detailed instructions for use are enclosed with the packaging.

TYPE	TZ711-00	TZ721-00	TZ717-00	TZ727-00	TZ719-00	TZ729-00	TZ713-00	TZ723-00	TZ714-00	TZ724-00
Content	250 g	500 g	250 g	500 g	250 ml	500 ml	250g	500 g	250 ml	500 ml
Range	5.000 L	10.000 L	20.000 L	40.000 L	5.000 L	10.000 L	5.000 L	10.000 L	5.000 L	10.000 L
SU	6	4	6	4	6	4	6	4	6	4
EAN	4006873402909	4006873402916	4006873402947	4006873402954	4006873403067	4006873403074	4006873403029	4006873403036	4006873402985	4006873402992

Optimum Regulation and Care

Not sold in the UK market



TZ715-00 + TZ725-00

Algae Stop - PHOSPHAT-BINDER*

Liquid concentrate with excellent coverage

- Gentle effect
- Ideal before and after winter to prevent algae
- Also suitable for ponds without filter

Use biocides with care! Always read the label and product information before using.

Detailed instructions for use are enclosed with the packaging.



TZ716-00 + TZ726-00

Pond Sludge-Free

Granulated mixture to sprinkle into the base of the pond

- Active oxygen sinks into the sludge and oxidises it
- High-performance bacteria reduce organic contamination
- Does not contain copper additives
- Suitable for use with fish

Detailed instructions for use are enclosed with the packaging.

TZ712-00

Pond Care Kit 3in1

Pond Care test set - 3 products in one set

- 1 Stabilize water with conditioner
- 2 Water clear with algae-free
- 3 Keep water clear with algae Stop
- Incl. 2 test strips for the determination the water values GH, KH and PH
- Available in display for 24 pcs.

Use biocides with care! Always read the label and product information before using.

Detailed instructions for use are enclosed with the packaging.



F110-00 + F100-00

Zeolith

- Ideal as a filter material
- Free of copper additives
- Overdose harmless
- Can be regenerated at the end pond season
- Absolutely fish compatible



F110-00 incl. Bacterial culture



TZ791-00

Quick-Test-Set 6in1

The 6 key pond values:
pH, GH, KH, CL, NO2, NO3

Indicator strips for checking the values of your water in under a minute. The results provide information about whether a value is correct or anomalous.



LABORATORY TESTED QUALITY

TYPE	TZ715-00	TZ725-00	TZ716-00	TZ726-00	TZ712-00	F110-00	F100-00	TZ791-00
Content	250 ml	500 ml	250 g	500 g	3 x 250 ml	3 kg	10 kg	50 Streifen
Range	5.000 L	10.000 L	5.000 L	10.000 L	5.000 L	6.000 L	10.000 L	-
SU	6	4	6	4	4	4	6	8
EAN	4006873403142	4006873403159	4006873403180	4006873403197	4006873407522	4006873601104	4006873601005	4006873403227

POS-presentation

Pond Care-shelf display

WMT-711 - Variable equipment:

Display including toppers, footer and POS • LxWxH: 125 x 40 x 40 cm



LABORATORY TESTED
QUALITY



More pond care tips on www.heissner.de/teichberater or our app.



Not sold in the UK market

Pond Care Promotion shelf

WMT-260 - Variable equipment

Display including toppers, footer and POS

LxWxH: 58 x 40 x 210 cm



Airification is important

Leave your filter running 24 hours a day as the sponges and substrates in your filter are filled with millions of helpful micro organisms. They require permanent supply of oxygen to be able to be effective.

Example for the ventilation of the pond water:



Airifiers (air pumps)




Pond side spitters



Waterfall/water course



Foam jets or fountain cascades



Ice preventer

Ice preventer

- Guarantees oxygen for your fish
- Prevents pond from freezing over completely
- Allows fermentation gases to escape

TZ505-00

Ice preventer ❄️ -15°C

with depress chamber



TZ510-00

Ice preventer ❄️ -20°C

with depress chamber



Ice preventer with air pump ❄️ -15°C

with depress chamber

Output litres: 200 l/h

Voltage: 230 V

Pump capacity: 2,5 W


2
years
guarantee

TZ570E-00

Pond Heater 50 W with start-Stop function ❄️ -25°C

mit Senkkammer

Power: 230 V - 50 W



- Innovative hot runner technology prevents freezing of the pond
- Frost guard function (automatic shutdown plus degrees)
- Ideal in combination with pond aerators TZ605-00 used
- Up to 66% energy savings compared to the previous model TZ560-00


2
years
guarantee


TYPE	TZ505-00	TZ510-00	TZ513-00	TZ570E-00
Size	ø x H: 24,5 x 11 cm	ø x H: 38 x 14,5 cm	ø x H: 24,5 x 11 cm	LxWxH: 17 x 4,5 x 17 cm
VE	20	6	4	4
EAN				



Winter-Display

Inkl. 100
Gratis-
Prospekten

VSL-570

- 9x TZ513-00
- 8x TZ570E-00
- 10x TZ605-00

LxWxH: 80 x 39 x 78 cm



Ice-free Display



WMT-506 WMT-50

60 x TZ505-00 or
24 x TZ510-00

Application Pond heater

BIS ZU
UP TO
-25°C ❄️

max.
50 W ⚡
230 V

ÜBER/OVER
>2°C 🌡️
NUR/ONLY
1,5 W ⚡


- Allows the supply of oxygen to the water and allows the escape of fermentation gases that build up
- Protects fish and pond animals from suffocation and poisoning
- 66% Energy saving to previous model TZ560-00 by superior patented chip technology
- Only 50W power consumption during the heating process
- Integrated frost-guard function, reduces consumption to 2W with temperatures above 2 °C
- Applicable up to -25 °C

Garden-Power-Box

Garden-Power-Box

Unique power distribution box for your garden!

- Provides ample space for power strips, cords, timers, radio receiver, etc.
- Very solid construction, up to 80kg load capacity
- Lockable, thus **CHILDREN SAFE!**
- To open one-handed closure from above
- Can be buried and covered
- Degree of protection IP65 (dust tight and protected against water jets)
- Can also be used as Hose with water connection

Virtually unlimited possibilities:

- Garden Lighting
- Christmas decorations / lights may
- Pond (pump, filter, UV, light, ...)
- Pool (filters, cleaning, circulation, heating, ...)
- Gardening (mowers, trimmers, machines, ...)

Usage:  80 kg



Gardening



Splash protection



Pond technology



Garden lighting



Hose box



Pool technology



Christmas decoration



... dry, clean,
organized, safe!



Functions-Details:

Plenty of space for cable and plugs



Easy to open and close



CHILDSAFE lockable



Can also be used as hose box



Cable fixation with strain relief



Cable gland protects against dirt



Easy to cover and hide, put partial in ground



TYPE	Z960-00	SU: 8
L x W x H	41 x 30 x 21 cm	
EAN	 4 006873 414599	

