



All the best for your paradise.

CATALOGUE 2019

heissner.de

Contents



| Bio Pool System NEW! | p. 4-5 |
|-------------------------------|----------|
| EcoBalance Pond System | p. 6 |
| EcoBalance Watercourse System | p. 7 |
| Classical & Modern PE-Ponds | p. 8 |
| Pond Liners & Accessories | p. 9-12 |
| Waterfall Elements | p. 13 |
| Plant Baskets & Planting Aids | p. 14-15 |
| | |





Overview Pumps p. 18

Multifunctional Pump p. 19

Water Feature Pumps p. 20 -22

Filter & Stream Pumps, Swimming Pond Pumps p. 23-25

Eco Pump Control NEW! p. 26

Solar Pumps p. 28-29

Pump Capacity Table p. 27+30





Overview Filters p. 32-33 Pure Pond Bomb, F+ NEW! p. 34 **Underwater Filter** p. 35 **Pressure Filters** p. 36-37 **Gravitation Filters** p. 38-43 AutoClean Cleaning System NEW! p. 44 Pond Accessories NEW! p. 46-49 **UVC Pond Clarifier** p. 50 UVC replacement lamps, Filter Accessories p. 51-53 Pond Aerators & Skimmer **NEW!** p. 54-55





Overview Vacuum Pond Cleaner p. 58
Vacuum Pond Cleaner p. 58-60
Pond Tools & Landing Net NEW! p. 61
Pond Care Products p. 62-64
Winter Protection p. 65
Garden-Power-Box P. 66





Smart Lights NEW! p. 68-75
Pond & Garden Lighting p. 76-77
Underwater LED Strips & LED Swim-Light p. 78-79
Pond Figurines p. 80-81
Garden Fabrics & Liners p. 82-83
Artificial Pond Plants NEW! p. 84



POND CONSTRUCTION

POND CONSTRUCTION



Bio Pool System

p. 4 - 5

P. 8



EcoBalance
Pond System P.6-7



Pond Liners & Accessories



Pond Liner & Accessories P.9-12



Water Courses & Waterfall Elements P. 13-14



Plant Baskets & Planting
Aids P. 15



Bio-Pool **NEW!**



Bio-pool – The environmentally-friendly complete system for swimming ponds

With the "Bio-Pool" range of components, the filtering of the pool is done using solely biological means. The filter zone of the Bio-Pool is the foundation and it biologically cleans the water, whether this is planted or unplanted. The cleaning is done through backwashing without the need for intervention in the filter zone. On open water surfaces this can be dispensed with, but there are also many other design options (e.g. return flow as a waterfall) available here.

To ensure safe operation, the Bio-Pool technical equipment chamber is equipped with 2 HEISSNER low-voltage pumps. The pre-installed piping allows for the easy regulation of filtering, skimming, return flows and connected water fixtures (e.g. waterfalls), and is also used for the cleansing backwashing of the system. The technical equipment chamber can be dug in away from the system to ensure that it won't be flooded.

The Bio-Pool bottom skimmer offers a combination of surface suction and underwater gravel filtration, which can be controlled separately. Thanks to this, you can obtain optimal results and all floating particles are removed from the water before it starts to become cloudy.

Conventional systems:


HEISSNER Bio-Pool-System:

Bio-Pool Filterzone

Regular filter system

Swimming

Swimming







Filter zone | Combi-skimmer | Technical equipment chamber

Bio-Pool filter zone NEW!

- Plant filter for the bottom installation
- Sufficient for 25m³ bio-pools
 (2 filter zones are created for larger pools)
- 2 inlets (DN40/50)
- 1 filter return (DN100/110mm)



| TYPE | F642-00 |
|-------|------------------|
| LxWxH | 125 x 125 x 70cm |
| EAN 4 | 006873 423928 |

Bio-Pool Technical equipment chamber **NEW!**

- Technical equipment chamber with 2 pre-installed 12V pumps P9100NV
- 5 DN50/50mm connections for the skimmer (2 x), biofilter (1 x) and pond access (2 x)
- With 8 shut-off valves for regulation and backwashing
- For the operation of plant filters and bottom skimmers
- Sufficient space for additional installations
- With cover



| TYPE | Z644-00 |
|-------|-----------------|
| LxWxH | 113 x 76 x 68cm |
| EAN | 006873 423942 |

Bio-Pool Bottom skimmer

- Combination of a skimmer and bottom filter with a very robust design
- Separated pipe system and pumps for surface and bottom water
- Bottom filters are dug into the pond substrate
- Perfect in combination with plant filters and pump chambers



Pro ECO Balance Pond System




Pro ECO Balance Pond System

The unique Pro ECO Balance Pond System requires very little pond technology and regulates the ecological balance. The pond technology is "invisibly" hidden in the pond. Suitable up to max. 100 m2 of water surface.

- Pond water penetrates biological filter layers for ultimate clean
- Very low maintenance, since little pond technology is needed
- Technology invisibly placed in pond


Special Order Only



| ТҮРЕ | F 641-00 | |
|--------------------|--------------------|--|
| PROFI POND BIOFALL | | |
| LxWxH | 48 x 54 x 43 cm | |
| For pumps | 6.000 - 16.000 l/h | |
| SU | 1 | |
| EAN | 4006873400882 | |







5 Waterfall overflow

| F 644-00 | |
|--------------------|--|
| KIMMER | |
| 54 x 56 x 67 cm | |
| 6.000 - 16.000 l/h | |
| 1 | |
| 4006873400899 | |
| | |







Eco Pump Control




Pro ECO Balance Watercourse System

Pro ECO Balance Watercourse System

The Pro ECO Balance Watercourse System is a maximum child-safe pond. Through the used modules in the front part of the stream of the pond is an ideal solution for families with young children.


- Childproof pond used by Aqua Blocks
- Components invisibly placed in pond
- Very low maintenance





Principle of operation

- A Stones/Split
- (B) Rubber Pond
- © Fleece
- 1 PRO Pond Overflow System
- 2 PRO Pond Pump Shaft
- (3) PRO Pond Pump Shaft Extension
- 4 PRO Pond Aqua Blocks



Pro ECO Balance Watercourse System - Components









| ТҮРЕ | 1 Z 641-00 | 2 Z 642-00 | 3 Z 643-00 | 4 Z 649-00 |
|----------|--------------------------------------|------------------------------------|----------------------|-----------------------------------|
| PRO POND | OVERFLOW SYSTEM | PUMP SHAFT | EXTENSION | AQUA BLOCK |
| LxWxH | 60 x 38 x 13 cm | 40 x 53 x 63 cm | 40 x 40 x 21 cm | 68 x 24 x 40,5 cm |
| Info | For Pumps from 8.000 - 20.000 l/h | Suitable for all HEISSNER pumps | Extension to Z642-00 | Every 1.000 l/h 1 x Aqua Block |
| SU | 1 | 1 | 1 | 1 |
| FAN | | | | |

EAN



4 006873 400912

4 006873 400929

| | 0.0 | | | | | | | | | | |
|---|-----|----|---|----|---|---|---|----|---|---|--|
| 4 | O (| 16 | 8 | 73 | Ţ | 4 | 0 | ηq | 3 | 6 | |

| ТҮРЕ | Z 663-00 | Z 668-00 | Z 669-00 |
|----------|---------------|------------------------|------------------------|
| PRO POND | POND HOSE 2" | 2" HOSE BONDING SLEEVE | 2" HOSE BONDING SLEEVE |
| Info | 50 mm | with R 38 mm IG | with R 50 mm AG |
| SU | 25 | 10 | 10 |
| EAN | 4006873400943 | 4006873400950 | 4006873400967 |



Modern & Classic Water Gardens

MADE IN THE STATE OF THE STATE

Modern Water Gardens

- Ideal for use as terrace pond
- Optimal pool depth
- Can be combined and extended with overflow edges
- Free of toxic plasticizers or heavy metals





Pond-Display "Modern"

WMT-22

B080-00 10x B083-00 5x B081-00 5x B084-00 5x B082-00 5x

WxDxH: 140 x 60 x 200 cm



| ТҮРЕ | B 080-00 | B 081-00 | B 082-00 | B 083-00 | B 084-00 |
|---------------------|-----------------|-----------------|-----------------|------------------|-------------------|
| FORM | SQUARE | RECTANGULAR | SQUARE | RECTANGULAR | SQUARE |
| Volume | 70 Liter | 110 Liter | 200 Liter | 380 Liter | 900 Liter |
| External dimensions | 58 x 58 x 30 cm | 49 x 79 x 45 cm | 79 x 79 x 45 cm | 149 x 79 x 45 cm | 150 x 150 x 45 cm |
| SU | 10 | 5 | 5 | 5 | 5 |
| EAN | 4 006873 403470 | 4 006873 304425 | 4 006873 304432 | 4 006873 304449 | 4 006873 304456 |

Classic Water Gardens

- Simple installation
- Can be stacked in one another
- Optimum pond depth
- Naturally shaped
- Optimum pond depth
- Ridge-secured plant zone







Pond-Display "Classic"

WMT-22

- 5 x B1001-00
- 10 x B501-00
- 10 x B251-00

WxDxH: 140 x 60 x 200 cm










| ТҮРЕ | B 110-00 | B 251-00 | B 501-00 | B 1001-00 |
|---------------------|------------------|------------------|-------------------|-------------------|
| Volume | 120 Litres | 250 Litres | 500 Litres | 1000 Litres |
| External dimensions | 120 x 90 x 40 cm | 124 x 90 x 58 cm | 157 x 125 x 54 cm | 224 x 150 x 70 cm |
| SU | 5 | 10 | 10 | 5 |
| EAN | 4 006873 714064 | 4 006873 299097 | 4 006873 299103 | 4 006873 299110 |

PVC Pond Liner Packaged





Packed Foil

 ${\bf Display\, {\it "}Packed\, foil "WMK-PACK\, incl.\, Topper}$

WxLxH: 120 x 80 x 215 m



PVC LINER - PACKAGED (Pre-Pack) Liner thickness 0,5 mm EAN TF 171-00 $2 \times 3 \text{ m} = 6 \text{ m}^2$ 4006873171249 TF 172-00 $3 \times 4 \text{ m} = 12 \text{ m}^2$ 4006873172246 TF 173-00 $4 \times 4 \text{ m} = 16 \text{ m}^2$ 4006873173250 TF 176-00 $4 \times 5 \text{ m} = 20 \text{ m}^2$ 4006873284901 TF 174-00 $4 \times 6 \text{ m} = 24 \text{ m}^2$ 4006873174257 TF 177-00 $5 \times 6 \text{ m} = 30 \text{ m}^2$ 4006873284918 TF 178-00 $6 \times 6 \text{ m} = 36 \text{ m}^2$ 4006873394365 TF 175-00 $6 \times 8 \text{ m} = 48 \text{ m}^2$ 4006873175247 Liner thickness 1,0 mm EAN TF 181-00 $6 \times 1 \text{ m} = 6 \text{ m}^2$ 4006873394372 TF 182-00 $8 \times 1 \text{ m} = 8 \text{ m}^2$ 4006873394389 TF 183-00 $4 \times 4 \text{ m} = 16 \text{ m}^2$ 4006873161851 TF 184-00 $4 \times 6 \text{ m} = 24 \text{ m}^2$ 4006873161868 TF 186-00 $4 \times 7 \text{ m} = 28 \text{ m}^2$ 4006873394396 TF 187-00 $6 \times 5 \text{ m} = 30 \text{ m}^2$ 4006873394402 TF 185-00 $6 \times 8 \text{ m} = 48 \text{ m}^2$ 4006873161875

PRO Pond Liner (EPDM)

The 1,0 mm-thick HEISSNER Pro pond liner us made from high-grade EPDM (synthetic rubber). The liner is very elastic, which makes it very easy to lay. It is characterised by a high tensile strength and resistance to tearing, meaning that it can take an extremely large amount of strain. This makes it perfect for use in building large, deep ponds. What's more, the Pro pond liner is also UV- and cold-resistant, biologically harmless and fish-compatible.



PRO POND LINER 1,0 mm - ON ROLL

| ТҮРЕ | TF 536-00 | TF 539-00 |
|------|---|-------------------------------|
| Size | $6 \times 30 \text{ m} = 180 \text{ m}^2$ | 9 x 20 m = 180 m ² |
| SU | 180 | 180 |
| EAN | 4006873536000 | 4006873539001 |

PVC Pond Liner on roll

PVC Pond Liner

This black PVC pond liner is available in a variety of thicknesses, and is thus suitable for a wide range of pond sizes. The PVC pond liner is especially easy to lay at temperatures greater than 15 °C. HEISSNER standard pond liner is UV- and cold resistant, safe for fish, biologically harmless, root-resistant (according to DIN 4062), resistant to tearing (according to DIN 53455) and free from reclaimed rubber.10-year guarantee (20- year guarantee when using HEISSNER underlay).



PVC Adhesive p.10 Code: Z853-00 / Z854-00




Ponds constructed with pond liners allow the creation of very individual garden paradises

Take care to choose the correct length of the material:

| Pond depth | Recom. Liner thickness |
|--------------|---------------------------|
| up to 50 cm | 0,5 mm PVC |
| up to 150 cm | 1,0 mm PVC |
| up to 150 cm | 1,0 mm EPDM |

How to measure the right size:

pond length + 2 x pond depth + 60 cm = running metres / length pond width <math>+ 2 x pond depth + 60 cm = running metres / width









| Liner thic | kness 0,5 mm - Roll | width 2m | EAN |
|----------------------------|---|-------------|---------------|
| TF 112-00 | $2 \times 100 \text{ m} = 200 \text{ m}^2$ | SU: 200 | 4006873112006 |
| TF 114-00 | $4 \times 50 \text{ m} = 200 \text{ m}^2$ | SU: 200 | 4006873153207 |
| TF 116-00 | $6 \times 40 \text{ m} = 240 \text{ m}^2$ | SU: 240 | 4006873153214 |
| TF 118-00 | $8 \times 30 \text{ m} = 240 \text{ m}^2$ | SU: 240 | 4006873153221 |
| Liner thic | Liner thickness 1,0 mm - Roll width 2m EAN | | |
| TF 120-00 Breite: Sonde | Bis zu 1000 m² rSize - Erhältlich auf Anfrag | SU: 1 e. | 4006873220015 |
| TF 122-00 | $2 \times 50 \text{ m} = 100 \text{ m}^2$ | SU: 100 | 4006873122005 |
| TF 124-00 | $4 \times 25 \text{ m} = 100 \text{ m}^2$ | SU: 100 | 4006873707080 |
| TF 126-00 | $6 \times 25 \text{ m} = 150 \text{ m}^2$ | SU: 150 | 4006873707097 |
| TF 128-00 | $8 \times 20 \text{ m} = 160 \text{ m}^2$ | SU: 160 | 4006873711896 |
| Liner thic | Liner thickness 1,5 mm - Roll width 2m EAN | | |
| TF 132-00 | $2 \times 15 \text{ m} = 30 \text{ m}^2$ | SU: 30 | 4006873421481 |

Stone Liner and Pond underlay

Stone Liner

For decorating natural-style water courses and pond banks. The stones are set into the base material by means of a NEW, unique production process, and then sealed.

Advantages of HEISSNER stone liner:

- Natural look surface
- Fleece underside (better bondable)
- Particularly resistant
- Guaranteed long-life stone surface
- UV-resistant
- Fish- and plant compatible



STONE LINER Liner thickness 5,0 mm - On Roll

| TYPE | TF 592-00 | TF 596-00 | TF 598-00 |
|------|-------------------|-------------------|-------------------|
| WxL | 0,4 x 15 m | 0,6 x 15 m | 1,0 x 12 m |
| VE | 15 | 15 | 12 |
| EAN | 4006873263074 | 4006873271970 | 4006873271987 |



PRO Pond Underlay

The underlay is laid underneath the pond liner, in order to protect your pond liner from stones and roots.

Advantages of HEISSNER underlay:

- Robust and resistant to tearing
- Woven endless fibres
- Reliably protects the pond liner
- Stamp load bearing strength: 2000 N
- Weldable



PRO POND UNDERLAY (root safe) EXTRA STRONG - Thickness 1,0 mm

| ТҮРЕ | TF 920-00 packaged | |
|------|-----------------------|--|
| Size | 2 x 3 m | |
| VE | 10 | |
| EAN | 4006873209201 | |

| TYPE | TF 922-00 on roll | |
|------|--|--|
| Size | $2 \times 100 \text{ m} = 200 \text{ m}^2$ | |
| VE | 200 | |
| EAN | 4006873209225 | |

EXTRA SOFT - Thickness 3,0 mm

| TYPE | TF 926-00 |
|------|--|
| Size | $2 \times 100 \text{ m} = 200 \text{ m}^2$ |
| VE | 200 |
| EAN | 4006873209225 |

Usage of pond underlay:




Pond Edge System & Accessories


Pond Edge System


With the HEISSNER pond edge system an easy and clean border between garden or terrace can be created. Simply fix the pond pics in the desived shape of the pond and lay out the pond edge. Now lay out the pond underlay and pond liner.

Benefits of HEISSNER Pond Edge System:

- Serves for a perfect pond edge between water and soil/terrace
- Gives stability to the liner edge and creates perfect leveled pond rim
- Can be used as garden edges as well









Pond edge band





| TF 821-00 | | |
|-----------------|------------------|--|
| Band height | 14 cm | |
| Length of roll: | 15 m | |
| Material | recycled plastic | |
| Strength | 6 mm | |
| SU | 1 | |
| 4 006873 407638 | | |

Pond edge picks



| TF 822-00 | |
|-----------|-------------------|
| Lenght | 58 cm |
| Size | 3 x 3 cm |
| Material | Kunststoff |
| Pieces | 10 pieces per Set |
| SU | 1 |
| EAN 4 006 | 873 407645 |

PVC Underwater Liner Adhesive



| TF 855-00 | | |
|---|--|--|
| Repair kit | | |
| Contents Tube 50 g and 30 x 9 cm piece of liner | | |
| SU 4 | | |
| 4 006873 261193 | | |

EPDM Adhesive



| TF 540-00 | | |
|-----------------------------------|-------|--------------|
| Sufficient for 10 m of glued seam | | |
| Conte | ents | 820g / 1,0 l |
| SU | | 6 |
| EAN | 4 006 | 873 283287 |

PVC Adhesive



| Z 854-00 | | |
|----------------------------|------------|--|
| 5 m of glued seam | | |
| Contents 200 g | | |
| Size | 30 x 30 cm | |
| SU 4 | | |
| EAN 4 006873 706007 | | |

PVC Adhesive



| Z 853-00 | | |
|--------------------|--------------|--|
| 15 m of glued seam | | |
| Contents 600 g | | |
| Size | 40 x 40 cm | |
| SU 4 | | |
| EAN 4 0 | 06873 153535 | |


Waterfall Elements and Overflow edges


Waterfall Elements / stainless steel overflow edge

- Gives each water basin a noble style
- As a water feature for the garden pond Swimming pool or the pool area
- Including LED strip for a very special atmosphere
- Can be connected to ground or rear
- Thread G1" Hose connection 1" 25 mm



| | A | A |
|------------------|-----------------------|-----------------------|
| TYPE/SU1 | W 483-00 | W 486-00 |
| LENGTH | 30 cm | 60 cm |
| LxWxH | 30 x 18 x 13 cm | 60 x 18 x 13 cm |
| Recom. pump | 2500 l/h at outlet | 5000 l/h at outlet |
| LED Power | 2,5 W - Input: 3 W | 3,5 W - Input: 4 W |
| LEDs | 20x warmwhite (2700k) | 35x warmwhite (2700k) |
| Voltage | 230 V / 12 V | 230 V / 12 V |
| Cable/Connection | 10 m / R1" | 10 m / R1" |
| EAN | 4 006873 407652 | 4 006873 407669 |





Overflow edges



Suitable for basins on p.6 (Page 6 B083 or B084)

- Gives each water basin a noble style
- As a water feature for the garden pond Swimming pool or the pool area
- Including LED strip for a very special atmosphere





| | A | A |
|------------------|------------------------|------------------------|
| TYPE/SU1 | W 283-00 | W 286-00 |
| LENGTH | 30 x 25 cm | 60 X 15 cm |
| Recom. pump | 2500 l/h at the outlet | 5000 I/h at the outlet |
| LED Power | 2,5 W - input: 3 W | 3,5 W - input: 4 W |
| LEDs | 20x warm white (2700k) | 35x warm white (2700k) |
| Voltage | 230 V / 12 V | 230 V / 12 V |
| Cable/Connection | 10 m / R1" | 10 m / R1" |
| EAN | 4 006873 304463 | 4 006873 304470 |

Waterfall-Set

- Stainless steel waterfall element width: 30cm

Waterfall pump HFP3500-00

LED bar with 20 LEDs including 12V transformer

- Basin (30 x 71 x 40 cm)
- 2 m hose line







Foldable Plant Basket & Water Courses



Foldable Plant Basket

- Ideal for almost all pond plants
- No root suckers can penetrate through the fine mesh
- Can be placed on any base surface thanks to their excellent stability




| ТҮРЕ | TZ 131-00 | TZ 132-00 | TZ 133-00 | |
|---|-----------------------|-----------------------|-----------------------|--|
| LxWxH | 18 x 18 x 18 cm | 25 x 25 x 20 cm | 30 x 30 x 25 cm | |
| Packaging | 2 pieces in a polybag | 2 pieces in a polybag | 2 pieces in a polybag | |
| SU | 25 | 25 | 25 | |
| EAN 4 006873 400356 4 006873 400363 4 006873 400370 | | | | |



Water Courses

- Break- & weather-proof and UV-resistant
- Easy to install and combine
- Screw for hose assembly on each shell

| | | Steadillo. | CONTRACTOR AND ADDRESS OF THE PARTY OF THE P |
|--------|-----------------|-----------------|--|
| TYPE | B 031-00 | B 032-00 | B 033-00 |
| Colour | sand-coloured | sand-coloured | sand-coloured |
| Size | 62 x 43 x 7 cm | 73 x 53 x 7 cm | 87 x 68 x 8 cm |
| SU | 4 | 4 | 4 |
| EAN | 4 006873 269410 | 4 006873 269427 | 4 006873 269434 |









Plant Baskets & Planting Aids

Classic Plant baskets

- Makes it simple to plant and remove pond plants
- Made of non-rotting, high quality plastic
- Prevent uncontrolled plant growth






| ТҮРЕ | TZ 101-00 | TZ 102-00 | TZ 103-00 | TZ 104-00 | TZ 105-00 | TZ 106-00 | TZ 107-00 |
|-------|-----------------|-----------------|-----------------|--------------------|--------------------|-----------------|--------------------|
| SHAPE | SQUARE | SQUARE | SQUARE | ROUND | ROUND | BOWED | WATERLILY BASKET |
| Size | 28 x 28 x 18 cm | 23 x 23 x 13 cm | 19 x 19 x 9 cm | ø 22 cm - H: 12 cm | ø 13 cm - H: 10 cm | 45 x 18 x 15 cm | ø 40 cm - H: 28 cm |
| SU | 25 | 25 | 25 | 25 | 25 | 25 | 5 |
| EAN | 4 006873 710882 | 4 006873 710899 | 4 006873 710905 | 4 006873 710912 | 4 006873 710929 | 4 006873 713012 | 4 006873 713029 |

Shore Planting

Coconut Planting Aids

- Pond banks can make more visually appealing and natural
- Made of pure natural coconut materials
- Very simple to install on the shore







| BUT CHAT | THE THEORY OF HELD AND THE | | |
|----------|----------------------------|------------------------|-------------------------|
| TYPE | TZ 190-00 | TZ 195-00 | TZ 110-00 |
| SHAPE | 50 m of the roll | PLANTING POUCH | PLANTING CLOTH 5ER PACK |
| Size | Width 100 cm | 100 x 100 cm | 75 x 80 cm |
| SU | 50 | 18 | 10 |
| EAN | | | |

4 006873 201908 4 006873 201953 4 00687

Explanation

| Symbol | Description |
|----------------------------------|--|
| years guarantee | 5 years warranty on technical problems (other than lamps) |
| 100 % HEISSNER SERVICE | Technical advice and customer service at www.heissner.com |
| WARTUNGSARM* | No tools required for installation and main- tenance |
| GEEIGNET FÜR 10-100 m² | Pond size recommendation |
| EASY CLEAN RÜCKSPÜL-SYSTEM | Pressure filter with back function |
| INKLUSIVE ERDSPIEß | Ground spike included |
| 10 m | 10 meter connection cable |

| Symbol | Description |
|---------------------------------------|--------------------------------------|
| Pumpe 15 W AC 230V 50 Hz | Power consumption pump |
| UVC 13 W AC 230V 50 Hz | Power consumption UVC pond clarifier |
| | Can be set up dry |
| 8,0 m | Maximum discharge height |
| INKLUSIVE 1"-25,4 mm 5 m schlauch | Includes 5 meter black spiral hose |
| INKLUSIVE | Including standpipe with regulation |
| * * * * * * * * * * * * * * * * * * * | Frostproof up to -20 ° C |

Notes

